180 Chapter 5

Table 5-3 cont.

A mapping between headers and responses

Header	Status Code	ACK	ВУЕ	CAN	INV	OPT	REG
Date	All	O	О	О	О	O	O
Error-Info	300-699	N/A	0	O	0	O	O
Expires	All	N/A	N/A	N/A	O	N/A	O
From	All (c)	M	\mathbf{M}	\mathbf{M}	\mathbf{M}	M	\mathbf{M}
In-Reply-to	N/A	N/A	N/A	N/A	O	N/A	N/A
Max-Forwards	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Min-Expires	423	N/A	N/A	N/A	N/A	N/A	\mathbf{M}
MIME-Version	All	O	O	N/A	O	O	O
Organization	All	N/A	N/A	N/A	O	O	O
Priority	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Proxy-Authenticate	401	N/A	O	O	O	O	O
Proxy-Authenticate	407	N/A	\mathbf{M}	N/A	\mathbf{M}	M	\mathbf{M}
Proxy-Authorization	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Proxy-Require	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Record-Route	2XX, 18X	N/A	O	O	O	O	N/A
Require	All	N/A	C	N/A	C	\mathbf{C}	\mathbf{C}
Retry-After	404, 413, 480, 486, 500, 503, 600, 603	N/A	0	О	0	O	O
Route	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Server	All	N/A	O	O	O	O	O
Subject	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Supported	2XX	N/A	O	O	\mathbf{M}^*	\mathbf{M}^*	O
Timestamp	All	O	O	O	O	O	O
То	All (c)	M	\mathbf{M}	\mathbf{M}	\mathbf{M}	\mathbf{M}	\mathbf{M}
Unsupported	420	N/A	\mathbf{M}	N/A	\mathbf{M}	\mathbf{M}	\mathbf{M}
User-Agent	All	O	O	O	O	O	O
Via	All (c)	M	M	M	M	\mathbf{M}	M
Warning	All	N/A	O	O	O	O	O
WWW-Authenticate	401	N/A	M	N/A	M	\mathbf{M}	M
WWW-Authenticate	407	N/A	O	N/A	O	O	O

^{*}The Content-Type header field must be included if the response contains a message body. Otherwise, the header can be omitted.